

OscarsPro

Digital Podium/ Electronic Lectern

Model – OP DP 19



Technical Specifications Model # OP DP 9

S. no.	Feature	Description
1	Type/Mounting	Free Standing, Wheel Mounted
2	Construction	1.6mm CRCA steel sheet, polymer powder coated, Wooden Top, All directional wheel with lock
3	Display	Built-in highly sensitive Interactive capacitive touch Monitor with tilt facility
(a)	Screen Type	Antiglare Scratch resistant and overlay tempered vandal resistant glass 3mm thickness
(b)	Size	54.61 cm (21.5 Inches)
(c)	Resolution	1920 x 1080 Full HD
(d)	Aspect ratio	16:9/16:10
(e)	Computer interface	One USB, One HDMI Port
(f)	OS Compatibility	Windows & Linux
4	System Details	
(a)	Processor	Intel Core i3, 3.0 GHZ, 3 MB Cache on motherboard
(b)	Hard Disk	1TB
(c)	Memory	8GB
(d)	Audio	Line-Out x 1/ Line-In x 1
(e)	Expansion I/O	USB 3.0 x 1, USB 2.0 x 3, LAN 10/100/VGA
(f)	Keyboard and Mouse	One Wireless Mouse and One Wireless Keyboard
(g)	Operating System	Windows 10 SL
5	Built in devices	Built-in devices on the Panel with easy access and control consisting of
(a)	Wireless Microphone Units	The podium shall have a Reciver with a range of 12 mtr & shall come with 1 Handheld Mic, One Collar mic and one Head set microphone.
(b)	Built in Amplifier Power	50W (with volume control)
(c)	Speakers	Two external speakers of Minimum 20 W each shall be a part of standard supply.
(d)	Security	Single physical key for all locks, RFID authentication System for secure access to system (Central Locking), Password Protection
(e)	AV Switcher	Input: RGB x 2, RCA x 2; Output: RGB x 2
6	Console Panel Ports	RGB, HDMI, USB, RJ45 LAN PORT, Input Selection Switch

- | | | |
|-----------|----------------------------|--|
| 7 | Annotation Software | Features like pens, annotate, choose, draw, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating keyboard and background etc. |
| 8 | Environment | |
| (a) | Operating Temperature | 5 C ~ 40 C, 90% RH at 40 C |
| (b) | Storage Temperature | -10 C ~ 55 C, 90% RH at 40 C |
| 9 | Power | |
| (a) | Power Consumption | 120 Watt (Max) |
| (b) | Power Supply | 180 - 240V, 50Hz, AC |
| 10 | Additional Devices | A dedicated space to house CPU/Laptop with Security Lock, Sliding Shelf for visualizer, Space for Keyboard and mouse |
| 11 | Optional Accessories | Logo on Acrylic Sheet, Motorized Tilt Mechanism, Visualizer |