Room Controlling Device

UNIVERSAL ENTERPRISES

Room Controlling Device -UE-RS-REC-5XRS	
CPU	ARM Cortex-A7
Operating system	Linux 4.1
Controlling port	3x 7pin phoenix connector
Infrared Port	4x infrared or one-way RS-232 serial port
Cloud Programming	Cloud programming without installing software
Network Control	Supports various network control protocols (TCP/UDP/Telnet/Http)
System LED Indicator	3x LED system status indicator
Memory	512 MB
Connectivity Ports	4x Digital I/O input, 1x RJ45
Relay Port	8x relay
Debugging	Remote debugging
Operational Temperature	0℃ ~50℃
Operational Humidity	10% to 90%
Relay port	8x Relay
Loading Capacity	20A Single channel
Logic Switch	Support programmable definition of various logic switches
Communication Ports	1x USB, 1x RS232, 1x RS485, 1x RJ45 network control
USD Data	Support standard USB data interface, more convenient to connect with PC.
Controlling Data Interface	Support standard RS232 & RS485 data interface and open control protocol
Lock	Support keyboard lock (LOCK) function
Technology	IPS
Size	10"
Resolution	1024 x 600
Connectivity Ports	1x RJ 45 PoE, 2x USB ports (USB-A for apk, USB-C for upgrading), 1x RS232
Touch points	5 points
Touch Panel	Captive Touch Panel
CPU	Quad core A53
RAM	1 GB
Storage	8 GB

Inbuilt OS	Android 10
Mount	Wall mounted
Feature	• Support APP remote control and installation. Support working with the third-party control devices

UNIVERSAL ENTERPRISES